

## DVI Analog to VGA Cable High Performance Digital Cable GPDV-AV-XX

GoldX® Products DVI analog to VGA Link Cable is designed to provide you with a complete solution for your connectivity requirements. Each cable includes the highest quality components to ensure the maximum level of conductivity. The ergonomically designed over molds for the external series were created to provide comfort whenever you need to rearrange the configuration of your computer setup.

The connectors of the DVI-A to VGA Cable are especially molded to provide a textured comfort grip to make the installation of the product easier. Adding to the ease of installation are easy grip thumbscrews, which lock the connectors together for best signal transfer.

The maintenance of signal integrity is also assured by a high-density, double-layer shielding. An oxygen-free copper durable PVC jacket surrounds the center conductor. This yields a high quality digital signal along with flexibility strength and appeal. The inner shield has 100% Mylar backed aluminum foil. This prevents high frequency signal noise and interference. The outer shield consists of a copper braid, which prevents most low frequency signal noise and interference.

The 24k gold contacts make for maximum signal transfer and corrosion resistance. These contacts are precision-machined and provide reduced signal loss at the connectors.

### Features:

- Designed for new DVI compatible digital equipment
- Improved signal transfer with high grade oxygen free copper wire
- Superior Quality and Definition
- Multiple Layer Shielding reduces interference, noise and distortion

### Available lengths in Feet



### Comfort Grip Molding



© Copyright 2007 Jo-Dan International, Inc. all rights reserved. Plus Series®, PowerCore®, QuickConnect®, Share Plus®, and GoldX® Products are registered trademarks of Jo-Dan International, Inc. All other trademarks and registered trademarks are the property of their respective owners. Designed in USA. Made in China. One or more of the following patents may apply: D494,935, D494,934, D494,932, D493,453, 6,755,676, D490,702, 6,736,658, 6,726,509, 6,716,047, D485,752, D484,044, D481,629, D481,628, 6,607,408, D478,001, D478,000, D468,635, 6,479,607, D465,223,6,454,584, D462,612, D452,427, D452,426, D451,888, D451,480, D450,303, D448,736, D444,772, D443,862, D443,593, D442,919, D442,556, D442,555, 5,788,521, 5,658,158, 5,334,033, 5,292,257, D503,882; 6,843,684; 6,854,989; 6,872,086; D506,386; 6,905,374; D509,797; 6,991,483; D513,976; 7,004,787; 7,028,114; D519,925; D522,507; 7,258,572. Other patents pending.